ELSEVIER

Journal of Alloys and Compounds 291 (1999) 323

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 291

Aizawa, T., 248
Andre, G., 44
Andreev, A.V., 11
Antonov, V.E., 1
Antonova, T.E., 1
Artigas, M., 282

Batra, S., 16
Bele, G., 289
Beskrovni, A., 262
Binnemans, K., 300
Biriş, A.R., 289
Biriş, A.S., 289
Blanter, M.S., 167
Bodak, O.I., 110
Boily, S., 295
Bokhenkov, E.L., 1
Bouree-Vigneron, F., 44
Buschow, K.H.J., 37

Canepa, F., 33
Cao, R., 244
Chen, X.L., 239
Chen, Y., 239
Cimberle, M.R., 33
Cirafici, S., 33
Cornish, L.A., 117, 130, 145
Cui, B.-z., 276

Danilkin, S., 262
de Kozak, A., 44
De Leebeeck, H., 300
Dorner, B., 1
dos Santos, D.S., L1
Dupont, N., 44

Fedotov, V.K., 1
Felser, C., 73
Fitzner, K., 190
Fruchart, D., L1, 282
Fuess, H., 262
Fukuda, T., 52

Gasdeblay, C., 282
Geng, D.-y., 276
Görller-Walrand, C., 300
Goto, T., 11
Gredin, P., 44
Grosse, G., 1
Guo, Q., 190
Guo, Z.-j., 276

Hill, P.J., 130
Homma, Y., 11
Horiuchi, H., 52
Hu, J., 40
Huang, F., 239
Huang, J.-S., 89
Huot, J., 295

Indrea, E., 289
Irodova, A.V., 184
Ishiguro, T., 322
Isnard, O., 282

Jackson, S.K., 94
Jadrowski, E., 262
Jeitschko, W., 66

Kaiser, J.W., 66
Kalychak, Ya.M., 80
Kampen, T.U., 28
Kim, J.H., 229
Kleinke, H., 73
Kleppa, O.J., 190
Koterlyn, G.M., 110
Kozlovskaya, I.K., 11
Kucukomeroglu, T., 269
Kudou, K., 52
Kuhlmann, U., 28
Kuji, T., 248
Kuz'ma, Yu.B., 175

Layland, R.C., 94
Lee, H.M., 229
Lee, J.Y., 229
Lee, K.S., 312
Lee, S.-M., 254
Liang, G., 295
Liang, J.K., 239
Liu, B., 244
Liu, J.-w., 276
Liu, Q.L., 239
Liu, W., 276
Lupu, D., 289

Magotra, S.K., 16
Malaman, B., 201
Manfrinetti, P., 33
Mao, J.-G., 89
Matkovskii, A., 57
Matlak, M., 21
Merlo, F., 33
Miraglia, S., L1, 282
Mönch, W., 28
Moon, K.I., 312
Mudher, K.D.S., 16
Mushnikov, N.V., 11

Nakano, H., 248
Neova-Baeva, M., 262
Nikitin, S.A., 8

Obara, K., 52
Okada, S., 52
Oku, M., 52

Palenzona, A., 33
Pankratov, N.Yu., 8
Parasyuk, O.V., 215
Park, S.I., 229
Pavlyuk, V.V., 110
Perng, T.-P., 254
Pierrard, A., 44
Pietraszko, A., 110
Pietruszka, M., 21

Rau, A., 28
Ravinder, D., 208
Rosenman, I., 44

Salamakha, P.S., 181
Salamova, A.A., 8
Savytskii, D., 57
Schlapbach, L., 289
Schmechel, R., 28
Schulz, R., 295
Sechovský, V., 11
Sharma, I.B., 16
Shield, J.E., 222
Shimazaki, T., 322
Shiokawa, Y., 11
Shishido, T., 52
Singh, D., 16
Sologub, O.L., 181
Stępień-Damm, J., 110
Suard, E., 184
Suchocki, A., 57
Sugawara, T., 52

Terayama, K., 322
Tereshina, I.S., 8
Tung, L.D., 37

Van Neste, A., 295
Vasylechko, L., 57
Venturini, G., 201
Verbetsky, V.N., 8
Vernière, A., 201

Wagatsuma, K., 52
Wagner, F.E., 1
Wallrafen, F., 57
Wang, J., 190
Wang, L.B., 244
Werheit, H., 28
Wieder, T., 262
Witcomb, M.J., 117, 130, 145
Wu, S., 220

Yamazaki, T., 322
Yang, E.D., 244
Yang, H.B., 244
Yanmaz, E., 269
Ye, J., 52
Yoshimura, M., 322
Yuan, H.T., 244

Zavaliy, I.Yu., 102
Zeng, H.-Y., 89
Zeng, L., 220
Zhak, O.V., 175
Zhang, L., 220
Zhang, Y.S., 244
Zhang, Z.-d., 276
Zhao, T., 276
Zhao, X.-g., 276
Zhuang, Y., 220
zur Loye, H.-C., 94
Züttel, A., 289

Elsevier Science S.A.
PII: S0925-8388(99)00554-X

ELSEVIER

Journal of Alloys and Compounds 291 (1999) 325–329

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 291

Activation energy
texturing of precursor $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ (2234) rod by resistive-heat floating-zone method 269
Al–Ir–Ru system
constitution of the Al–Ir–Ru system 130
Al–Ni–Re alloys
a metallographic study of the Al–Ni–Re phase diagram 145
Al–Re system
an investigation of the Al–Re phase diagram 117
Ammonolysis
the simultaneous powder X-ray and neutron diffraction refinement of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
Antiferromagnetism
magnetic properties of a $PrCoAl_4$ single crystal 37
Atomic vibrations
effect of Cr content on the crystal structure and lattice dynamics of FCC Fe–Cr–Ni–N austenitic alloys 262
Austenite
strain-induced interaction of dissolved atoms in γ-Fe 167
Austenitic steel
effect of Cr content on the crystal structure and lattice dynamics of FCC Fe–Cr–Ni–N austenitic alloys 262

Boron-rich solids
on the reliability of the Raman spectra of boron-rich solids 28
BSCCO (2234) rod
texturing of precursor $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ (2234) rod by resistive-heat floating-zone method 269
Bulk mechanical alloying
synthesis of Mg_2Ni alloy by bulk mechanical alloying 248

Charge carrier concentration
thermoelectric power studies of zinc substituted copper ferrites 208
Charge carrier mobility
thermoelectric power studies of zinc substituted copper ferrites 208
Cobalt
composition and crystal structure of rare-earths–Co–In compounds 80
Cobalt hydride
atomic ordering in the hcp cobalt hydrides and deuterides 1
Co_3Mo_3N
the simultaneous powder X-ray and neutron diffraction refinement of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
Copper liquid alloys
enthalpies of liquid–liquid mixing in the systems Cu–Ag, Cu–Au and Ag–Au by using an in-situ mixing device in a high temperature single-unit differential calorimeter 190

Critical electron concentration
chemical potential evidence for phase transitions in Fermi systems 21
Critical temperature
chemical potential evidence for phase transitions in Fermi systems 21
Crystal and ligand fields
magneto-optical properties of neodymium-doped $LiYF_4$ 300
Crystal structure
the antimony-rich parts of the ternary systems calcium, strontium, barium and cerium with iron and antimony; structure refinements of the $LaFe_4Sb_{12}$-type compounds $SrFe_4Sb_{12}$ and $CeFe_4Sb_{12}$; the new compounds $CaOs_4Sb_{12}$ and $YbOs_4Sb_{12}$ 66
new binary antimonide Hf_5Sb_3. Differences and similarities to the Zr antimonides 73
composition and crystal structure of rare-earths–Co–In compounds 80
synthesis and crystal structure of $La_4S_3Si_2O_7$ 89
effect of oxygen content on hydrogen storage capacity of Zr-based η-phases 102
the Pr–Ag–Al system 175
evolution of hydrogen superstructure with $\boldsymbol{k}=(1/2\ 1/2\ 1/2)$ in $ZrV_2D_{2+\delta}$, $-0.8<\delta<0.2$ 184
evolution of the non-stoichiometry in the $Er(Ge_{1-x}Ga_x)_{\sim 2}$ compounds. Crystal structure of Er_4 $(Ge, Ga)_7$, a new hexagonal $A1B_2$ derivative 201
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ compounds (R=rare earth element). II. Effects of hydrogen insertion on the magnetic properties (R=Ce, Nd; $0\leq x\leq 5$) 282
Crystal structure determination
crystal structure of the compounds $Lu_3Ni_2Ge_3$ and LuNiGe 110
Curie temperature
volume expansion and Curie temperature enhancement in $R_2Fe_{17}N_x$ compounds 40
structure and magnetic properties of intermetallic compounds of the composition $Gd_3(Fe,Ni)_{28}(Nb,Mo)$ 239
Cu–Zn ferrites
thermoelectric power studies of zinc substituted copper ferrites 208

Diffusion method
characteristics of $Mg_{2-x}Ti_xNi_{1-y}Cu_y$–H_2 ($0<x<2$, $0<y<1$) alloys 244
Displacement parameters
the antimony-rich parts of the ternary systems calcium, strontium, barium and cerium with iron and antimony; structure refinements of the $LaFe_4Sb_{12}$-type compounds $SrFe_4Sb_{12}$ and $CeFe_4Sb_{12}$; the new compounds $CaOs_4Sb_{12}$ and $YbOs_4Sb_{12}$ 66

Elastic interaction
strain-induced interaction of dissolved atoms in γ-Fe 167
Electrical conductivity
thermoelectric power studies of zinc substituted copper ferrites 208

Elsevier Science S.A.
PII: S0925-8388(99)00555-1

Electrode materials
hydrogen absorption and hydride electrode behaviour of the Laves phase $ZrV_{1.5-x}Cr_xNi_{1.5}$ 289
Electronic states (localized)
magneto-optical properties of neodymium-doped $LiYF_4$ 300
Electronic structure
new binary antimonide Hf_5Sb_3. Differences and similarities to the Zr antimonides 73
Enthalpy of mixing
enthalpies of liquid–liquid mixing in the systems Cu–Ag, Cu–Au and Ag–Au by using an in-situ mixing device in a high temperature single-unit differential calorimeter 190
Erbium digermanides
evolution of the non-stoichiometry in the $Er(Ge_{1-x}Ga_x)_{\approx 2}$ compounds. Crystal structure of Er_4 (Ge, Ga)$_7$, a new hexagonal AlB_2 derivative 201
Er–Ga–Ge alloys
evolution of the non-stoichiometry in the $Er(Ge_{1-x}Ga_x)_{\approx 2}$ compounds. Crystal structure of Er_4 (Ge, Ga)$_7$, a new hexagonal AlB_2 derivative 201

Fe_3Mo_3N
the simultaneous powder X-ray and neutron diffraction refinement of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
Filled skutterudites
the antimony-rich parts of the ternary systems calcium, strontium, barium and cerium with iron and antimony; structure refinements of the $LaFe_4Sb_{12}$-type compounds $SrFe_4Sb_{12}$ and $CeFe_4Sb_{12}$; the new compounds $CaOs_4Sb_{12}$ and $YbOs_4Sb_{12}$ 66
Flux
synthesis and crystal structure of $La_4S_3Si_2O_7$ 89
Fourier transform
on the reliability of the Raman spectra of boron-rich solids 28

Gadolinium
structure and magnetic properties of intermetallic compounds of the composition $Gd_3(Fe,Ni)_{28}(Nb,Mo)$ 239
Gallium substitution
evolution of the non-stoichiometry in the $Er(Ge_{1-x}Ga_x)_{\approx 2}$ compounds. Crystal structure of Er_4 (Ge, Ga)$_7$, a new hexagonal AlB_2 derivative 201
Gamma-Fe
strain-induced interaction of dissolved atoms in γ-Fe 167
Gold liquid alloys
enthalpies of liquid–liquid mixing in the systems Cu–Ag, Cu–Au and Ag–Au by using an in-situ mixing device in a high temperature single-unit differential calorimeter 190

Hardness
constitution of the Al–Ir–Ru system 130
High pressure
a high pressure investigation of Pd and the Pd–H system L1
High temperature in-situ mixing calorimetry
enthalpies of liquid–liquid mixing in the systems Cu–Ag, Cu–Au and Ag–Au by using an in-situ mixing device in a high temperature single-unit differential calorimeter 190
Ho–Pd–Ge
isothermal section of the ternary system Ho–Pd–Ge at 870 K 181
Hot extrusion
a study of the microstructure of nanocrystalline Al–Ti alloys synthesized by ball milling in a hydrogen atmosphere and hot extrusion 312
Hydrogen absorption
effect of hydrogenation and nitrogenation on the magnetostriction of $LaCo_{13}$compound 8
Hydrogenation
correlation of substitutional solid solution with hydrogenation properties of $TiFe_{1-x}M_x$ (M=Ni, Co, Al) alloys 254
Hydrogen desorption
characteristics of $Mg_{2-x}Ti_xNi_{1-y}Cu_y$–H_2 ($0<x<2$, $0<y<1$) alloys 244
Hydrogen in metals
a high pressure investigation of Pd and the Pd–H system L1
hydrogen absorption and hydride electrode behaviour of the Laves phase $ZrV_{1.5-x}Cr_xNi_{1.5}$ 289
Hydrogen storage alloy
characteristics of $Mg_{2-x}Ti_xNi_{1-y}Cu_y$–H_2 ($0<x<2$, $0<y<1$) alloys 244
synthesis of Mg_2Ni alloy by bulk mechanical alloying 248
hydrogen storage properties of the mechanically milled MgH_2–V nanocomposite 295

Indium
composition and crystal structure of rare-earths–Co–In compounds 80
Inelastic neutron scattering
effect of Cr content on the crystal structure and lattice dynamics of FCC Fe–Cr–Ni–N austenitic alloys 262
Interatomic bonding
effect of Cr content on the crystal structure and lattice dynamics of FCC Fe–Cr–Ni–N austenitic alloys 262
Intermetallic compound
composition and crystal structure of rare-earths–Co–In compounds 80
Intermetallic compounds
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ compounds (R=rare earth element). II. Effects of hydrogen insertion on the magnetic properties (R=Ce, Nd; $0 \le x \le 5$) 282
Intermetallic hydrides
evolution of hydrogen superstructure with $\boldsymbol{k}=(1/2\ 1/2\ 1/2)$ in $ZrV_2D_{2+\delta}$, $-0.8<\delta<0.2$ 184
Intermetallics
phase formation and crystallization behavior of melt spun Sm–Fe-based alloys 222
Iridium–ruthenium aluminides
constitution of the Al–Ir–Ru system 130
Iron lead fluoride
magnetic structure and properties of $Pb_8Fe^{II}Fe_2^{III}F_{24}$: a 1-D ferrimagnetic chain compound exhibiting a spin-flop transition 44
Isothermal section
phase relationship of the La–Nd–Fe system at 770 K 220
Isothermal sections
isothermal section of the ternary system Ho–Pd–Ge at 870 K 181
Itinerant model
volume expansion and Curie temperature enhancement in $R_2Fe_{17}N_x$ compounds 40

La–Nd–Fe ternary system
phase relationship of the La–Nd–Fe system at 770 K 220
Lanthanum cobalt compound
effect of hydrogenation and nitrogenation on the magnetostriction of $LaCo_{13}$ compound 8
Laves phase hydrides
hydrogen absorption and hydride electrode behaviour of the Laves phase $ZrV_{1.5-x}Cr_xNi_{1.5}$ 289
Light absorption and reflection
magneto-optical properties of neodymium-doped $LiYF_4$ 300
Liquidus projection
a metallographic study of the Al–Ni–Re phase diagram 145

Magnetic alloys
chemical potential evidence for phase transitions in Fermi systems 21
Magnetic behaviour
texturing of precursor $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ (2234) rod by resistive-heat floating-zone method 269
Magnetic materials
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ compounds (R=rare earth element). II. Effects of hydrogen insertion on the magnetic properties (R=Ce, Nd; $0 \leq x \leq 5$) 282
Magnetic measurements
magneto-optical properties of neodymium-doped $LiYF_4$ 300
Magnetic properties
thermodynamic, electric and magnetic properties of $Pr_7Co_6Al_7$ intermetallic compound 33
magnetic properties of a $PrCoAl_4$ single crystal 37
magnetic structure and properties of $Pb_8Fe^{II}Fe_2^{III}F_{24}$: a 1-D ferrimagnetic chain compound exhibiting a spin-flop transition 44
structure, phase transformation and magnetic properties of $Sm_yFe_{100-1.5y}C_{0.5y}$ alloys prepared by mechanical alloying and re-milling 276
Magnetic structure
magnetic structure and properties of $Pb_8Fe^{II}Fe_2^{III}F_{24}$: a 1-D ferrimagnetic chain compound exhibiting a spin-flop transition 44
Magnetoresistance
synthesis, structure, electric transport and magnetic properties of $Sr_2LaMnFeO_7$ and $Sr_2LaMn_{1.5}Fe_{0.5}O_7$ 16
Magnetostriction
effect of hydrogenation and nitrogenation on the magnetostriction of $LaCo_{13}$ compound 8
Mechanical alloying
structure, phase transformation and magnetic properties of $Sm_yFe_{100-1.5y}C_{0.5y}$ alloys prepared by mechanical alloying and re-milling 276
Mechanical milling
hydrogen storage properties of the mechanically milled MgH_2–V nanocomposite 295
Mercury chalcogenides
phase relations of the Ag_2SnS_3–HgS and $Ag_{33.3}Sn_{16.7}Se/Te/_{50}$–HgSe/Te/ section in Ag–Hg–Sn–S/Se,Te/ systems 215
Metal hydrides
effect of oxygen content on hydrogen storage capacity of Zr-based η-phases 102
correlation of substitutional solid solution with hydrogenation properties of $TiFe_{1-x}M_x$ (M=Ni, Co, Al) alloys 254
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ compounds (R=rare earth element). II. Effects of hydrogen insertion on the magnetic properties (R=Ce, Nd; $0 \leq x \leq 5$) 282
Metal rich antimonides
new binary antimonide Hf_5Sb_3. Differences and similarities to the Zr antimonides 73
Metamagnetism
structure and magnetic properties of Pd and Cu doped UCoAl 11
magnetic properties of a $PrCoAl_4$ single crystal 37
Mg-based alloy
characteristics of $Mg_{2-x}Ti_xNi_{1-y}Cu_y$–H_2 ($0<x<2$, $0<y<1$) alloys 244
MgH_2–V nanocomposite
hydrogen storage properties of the mechanically milled MgH_2–V nanocomposite 295
Mg_2Ni
synthesis of Mg_2Ni alloy by bulk mechanical alloying 248
Microhardness
solid solution range of boron, microhardness and oxidation resistance of the perovskite type $RERh_3B_x$ (RE=Gd, Y, Sc) compounds 52
Nanocrystalline alloys
synthesis of Mg_2Ni alloy by bulk mechanical alloying 248
Nanocrystalline Al–Ti alloy
a study of the microstructure of nanocrystalline Al–Ti alloys synthesized by ball milling in a hydrogen atmosphere and hot extrusion 312
Neutron diffraction
atomic ordering in the hcp cobalt hydrides and deuterides 1
magnetic structure and properties of $Pb_8Fe^{II}Fe_2^{III}F_{24}$: a 1-D ferrimagnetic chain compound exhibiting a spin-flop transition 44
the simultaneous powder X-ray and neutron diffraction refinement of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
evolution of hydrogen superstructure with $\boldsymbol{k}=(1/2\ 1/2\ 1/2)$ in $ZrV_2D_{2+\delta}$, $-0.8<\delta<0.2$ 184
Nickel
structure and magnetic properties of intermetallic compounds of the composition $Gd_3(Fe,Ni)_{28}(Nb,Mo)$ 239
Nitrogenation
effect of hydrogenation and nitrogenation on the magnetostriction of $LaCo_{13}$ compound 8
volume expansion and Curie temperature enhancement in $R_2Fe_{17}N_x$ compounds 40
Non-burning properties
phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 229

Optical properties
magneto-optical properties of neodymium-doped $LiYF_4$ 300
Oxidation resistance in air
solid solution range of boron, microhardness and oxidation resistance of the perovskite type $RERh_3B_x$ (RE=Gd, Y, Sc) compounds 52
Oxidized sample surface
on the reliability of the Raman spectra of boron-rich solids 28
Oxygen
effect of oxygen content on hydrogen storage capacity of Zr-based η-phases 102

P–C–T curve
correlation of substitutional solid solution with hydrogenation properties of $TiFe_{1-x}M_x$ (M=Ni, Co, Al) alloys 254
Pd–H system
a high pressure investigation of Pd and the Pd–H system L1
Perovskite-like structure
crystal structure of $GdFeO_3$-type rare earth gallates and aluminates 57
Perovskite type compound
solid solution range of boron, microhardness and oxidation resistance of the perovskite type $RERh_3B_x$ (RE=Gd, Y, Sc) compounds 52
Phase diagram
an investigation of the Al–Re phase diagram 117
constitution of the Al–Ir–Ru system 130
the Pr–Ag–Al system 175
phase relations of the Ag_2SnS_3–HgS and $Ag_{33.3}Sn_{16.7}Se/Te/_{50}$–HgSe/Te/ section in Ag–Hg–Sn–S/Se,Te/ systems 215
phase relationship of the La–Nd–Fe system at 770 K 220
Phase equilibria
the antimony-rich parts of the ternary systems calcium, strontium, barium and cerium with iron and antimony; structure refinements of the $LaFe_4Sb_{12}$-type compounds $SrFe_4Sb_{12}$ and $CeFe_4Sb_{12}$; the new compounds $CaOs_4Sb_{12}$ and $YbOs_4Sb_{12}$ 66
phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 229

Phase transitions
evolution of hydrogen superstructure with $\boldsymbol{k}$=(1/2 1/2 1/2) in $ZrV_2D_{2+\delta}$, $-0.8<\delta<0.2$ 184
Plasma nitridation
the simultaneous powder X-ray and neutron diffraction refinement of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
Pr–Ag–Al system
the Pr–Ag–Al system 175
Praseodymium cobalt aluminide
magnetic properties of a $PrCoAl_4$ single crystal 37
Pyrosilicate chalcogenide
synthesis and crystal structure of $La_4S_3Si_2O_7$ 89

Quasi-binary section
phase relations of the Ag_2SnS_3–HgS and $Ag_{33.3}Sn_{16.7}Se/Te/_{50}$–HgSe/Te/ section in Ag–Hg–Sn–S/Se,Te/ systems 215
Quaternary compounds
phase relations of the Ag_2SnS_3–HgS and $Ag_{33.3}Sn_{16.7}Se/Te/_{50}$–HgSe/Te/ section in Ag–Hg–Sn–S/Se,Te/ systems 215

Raman spectra
on the reliability of the Raman spectra of boron-rich solids 28
Rare earth
synthesis and crystal structure of $La_4S_3Si_2O_7$ 89
Rare-earth aluminates
crystal structure of $GdFeO_3$-type rare earth gallates and aluminates 57
Rare-earth gallates
crystal structure of $GdFeO_3$-type rare earth gallates and aluminates 57
Rare earth intermetallic compounds
thermodynamic, electric and magnetic properties of $Pr_7Co_6Al_7$ intermetallic compound 33
Rare earth iron alloys
phase relationship of the La–Nd–Fe system at 770 K 220
Rare earth iron compounds
volume expansion and Curie temperature enhancement in $R_2Fe_{17}N_x$ compounds 40
Rare-earth iron intermetallic compounds
structure and magnetic properties of intermetallic compounds of the composition $Gd_3(Fe,Ni)_{28}(Nb,Mo)$ 239
Rare earth nickel germanides
crystal structure of the compounds $Lu_3Ni_2Ge_3$ and LuNiGe 110
Rare earths
composition and crystal structure of rare-earths–Co–In compounds 80
phase formation and crystallization behavior of melt spun Sm–Fe-based alloys 222
Reactive ball milling
a study of the microstructure of nanocrystalline Al–Ti alloys synthesized by ball milling in a hydrogen atmosphere and hot extrusion 312
Reassessed Ti–Cr binary system
phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 229
$RERh_3B$ (RE=Gd, Y, Sc)
solid solution range of boron, microhardness and oxidation resistance of the perovskite type $RERh_3B_x$ (RE=Gd, Y, Sc) compounds 52
Resistive-heat floating-zone (RHFZ) method
texturing of precursor $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ (2234) rod by resistive-heat floating-zone method 269
Rhenium aluminides
an investigation of the Al–Re phase diagram 117
Rietveld XRD analysis
synthesis, structure, electric transport and magnetic properties of $Sr_2LaMnFeO_7$ and $Sr_2LaMn_{1.5}Fe_{0.5}O_7$ 16

Samarium iron carbides
structure, phase transformation and magnetic properties of $Sm_yFe_{100-1.5y}C_{0.5y}$ alloys prepared by mechanical alloying and re-milling 276
Saturation magnetization
structure and magnetic properties of intermetallic compounds of the composition $Gd_3(Fe,Ni)_{28}(Nb,Mo)$ 239
Short process duration
synthesis of Mg_2Ni alloy by bulk mechanical alloying 248
Silver liquid alloys
enthalpies of liquid–liquid mixing in the systems Cu–Ag, Cu–Au and Ag–Au by using an in-situ mixing device in a high temperature single-unit differential calorimeter 190
Single-crystal X-ray diffraction
crystal structure of the compounds $Lu_3Ni_2Ge_3$ and LuNiGe 110
Solid solution range
solid solution range of boron, microhardness and oxidation resistance of the perovskite type $RERh_3B_x$ (RE=Gd, Y, Sc) compounds 52
Solid solutions
phase relations of the Ag_2SnS_3–HgS and $Ag_{33.3}Sn_{16.7}Se/Te/_{50}$–HgSe/Te/ section in Ag–Hg–Sn–S/Se,Te/ systems 215
Specific heat
thermodynamic, electric and magnetic properties of $Pr_7Co_6Al_7$ intermetallic compound 33
Spin flop transition
magnetic structure and properties of $Pb_8Fe^{II}Fe^{III}_2F_{24}$: a 1-D ferrimagnetic chain compound exhibiting a spin-flop transition 44
$Sr_2LaMnFeO_7$
synthesis, structure, electric transport and magnetic properties of $Sr_2LaMnFeO_7$ and $Sr_2LaMn_{1.5}Fe_{0.5}O_7$ 16
$Sr_2LaMn_{1.5}Fe_{0.5}O_7$
synthesis, structure, electric transport and magnetic properties of $Sr_2LaMnFeO_7$ and $Sr_2LaMn_{1.5}Fe_{0.5}O_7$ 16
Strain-induced interaction
strain-induced interaction of dissolved atoms in γ-Fe 167
Structural transformation
a high pressure investigation of Pd and the Pd–H system L1
Structure
synthesis, structure, electric transport and magnetic properties of $Sr_2LaMnFeO_7$ and $Sr_2LaMn_{1.5}Fe_{0.5}O_7$ 16
Structure determination
crystal structure of $GdFeO_3$-type rare earth gallates and aluminates 57
Superconducting alloys
chemical potential evidence for phase transitions in Fermi systems 21
Surface treatment
characteristics of $Mg_{2-x}Ti_xNi_{1-y}Cu_y$–H_2 ($0<x<2$, $0<y<1$) alloys 244

Tension test
a study of the microstructure of nanocrystalline Al–Ti alloys synthesized by ball milling in a hydrogen atmosphere and hot extrusion 312
Ternary antimonides
the antimony-rich parts of the ternary systems calcium, strontium, barium and cerium with iron and antimony; structure refinements of the $LaFe_4Sb_{12}$-type compounds $SrFe_4Sb_{12}$ and $CeFe_4Sb_{12}$; the new compounds $CaOs_4Sb_{12}$ and $YbOs_4Sb_{12}$ 66
Ternary nitrides
the simultaneous powder X-ray and neutron diffraction refinement

of two η-carbide type nitrides, Fe_3Mo_3N and Co_3Mo_3N, prepared by ammonolysis and by plasma nitridation of oxide precursors 94
Ternary phase diagram
a metallographic study of the Al–Ni–Re phase diagram 145
Ternary rare earth compound
magnetic properties of a $PrCoAl_4$ single crystal 37
Ternary systems
isothermal section of the ternary system Ho–Pd–Ge at 870 K 181
Ternary Ti–Cr–V system
phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 229
Texture
texturing of precursor $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ (2234) rod by resistive-heat floating-zone method 269
Thermodynamical activity
strain-induced interaction of dissolved atoms in γ-Fe 167
Thermoelectric power
thermoelectric power studies of zinc substituted copper ferrites 208
$TiCr_2$ Laves phase
phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 229
TiFe alloy
correlation of substitutional solid solution with hydrogenation properties of $TiFe_{1-x}M_x$ (M=Ni, Co, Al) alloys 254
Titanium hydride
a study of the microstructure of nanocrystalline Al–Ti alloys synthesized by ball milling in a hydrogen atmosphere and hot extrusion 312

UCoAl
structure and magnetic properties of Pd and Cu doped UCoAl 11
Uranium intermetallics
structure and magnetic properties of Pd and Cu doped UCoAl 11

Volume effect
volume expansion and Curie temperature enhancement in $R_2Fe_{17}N_x$ compounds 40

X-ray powder diffraction
crystal structure of $GdFeO_3$-type rare earth gallates and aluminates 57

Zirconium alloys
effect of oxygen content on hydrogen storage capacity of Zr-based η-phases 102